



Socket Countersunk Machine Screws

Socket - A2 stainless



T0222.A2

STAINLESS STEEL

Material

Stainless steel A2.

Technical Notes

To DIN 7991, ISO 10642. For the majority

of screw lengths the threads goes all the way to the head of the screw (i.e. $l_1 = l_2$) less 2.5 thread pitches.

For longer length screws the threaded

portion $l_2 < l_1$.

See technical page for tightening torques.

Order No.	d ₁	l ₁	d ₂	l ₂	h ₁	A/F
T0222.030-006-A2	M 3	6	6.0	-	1.7	2.0
T0222.030-008-A2	M 3	8	6.0	-	1.7	2.0
T0222.030-010-A2	M 3	10	6.0	-	1.7	2.0
T0222.030-012-A2	M 3	12	6.0	-	1.7	2.0
T0222.030-014-A2	M 3	14	6.0	12	1.7	2.0
T0222.030-016-A2	M 3	16	6.0	12	1.7	2.0
T0222.030-018-A2	M 3	18	6.0	12	1.7	2.0
T0222.030-020-A2	M 3	20	6.0	12	1.7	2.0
T0222.030-022-A2	M 3	22	6.0	12	1.7	2.0
T0222.030-025-A2	M 3	25	6.0	12	1.7	2.0
T0222.030-030-A2	M 3	30	6.0	12	1.7	2.0
T0222.030-035-A2	M 3	35	6.0	12	1.7	2.0
T0222.030-040-A2	M 3	40	6.0	12	1.7	2.0
T0222.040-006-A2	M 4	6	8.0	-	2.3	2.5
T0222.040-008-A2	M 4	8	8.0	-	2.3	2.5
T0222.040-010-A2	M 4	10	8.0	-	2.3	2.5
T0222.040-012-A2	M 4	12	8.0	-	2.3	2.5
T0222.040-014-A2	M 4	14	8.0	-	2.3	2.5
T0222.040-016-A2	M 4	16	8.0	14	2.3	2.5
T0222.040-018-A2	M 4	18	8.0	14	2.3	2.5
T0222.040-020-A2	M 4	20	8.0	14	2.3	2.5
T0222.040-022-A2	M 4	22	8.0	14	2.3	2.5
T0222.040-025-A2	M 4	25	8.0	14	2.3	2.5
T0222.040-030-A2	M 4	30	8.0	14	2.3	2.5
T0222.040-035-A2	M 4	35	8.0	14	2.3	2.5
T0222.040-040-A2	M 4	40	8.0	14	2.3	2.5
T0222.040-045-A2	M 4	45	8.0	14	2.3	2.5
T0222.040-050-A2	M 4	50	8.0	14	2.3	2.5
T0222.040-055-A2	M 4	55	8.0	14	2.3	2.5
T0222.040-060-A2	M 4	60	8.0	14	2.3	2.5
T0222.040-065-A2	M 4	65	8.0	14	2.3	2.5
T0222.040-070-A2	M 4	70	8.0	14	2.3	2.5
T0222.050-006-A2	M 5	6	10.0	-	2.8	3.0
T0222.050-008-A2	M 5	8	10.0	-	2.8	3.0



Teknipart
AN ESSENTIA COMPANY

0333 207 9969

sales@teknipart.co.uk



Order No.	d ₁	l ₁	d ₂	l ₂	h ₁	A/F
T0222.050-010-A2	M 5	10	10.0	-	2.8	3.0
T0222.050-012-A2	M 5	12	10.0	-	2.8	3.0
T0222.050-014-A2	M 5	14	10.0	-	2.8	3.0
T0222.050-016-A2	M 5	16	10.0	-	2.8	3.0
T0222.050-018-A2	M 5	18	10.0	16	2.8	3.0
T0222.050-020-A2	M 5	20	10.0	16	2.8	3.0
T0222.050-022-A2	M 5	22	10.0	16	2.8	3.0
T0222.050-025-A2	M 5	25	10.0	16	2.8	3.0
T0222.050-030-A2	M 5	30	10.0	16	2.8	3.0
T0222.050-035-A2	M 5	35	10.0	16	2.8	3.0
T0222.050-040-A2	M 5	40	10.0	16	2.8	3.0
T0222.050-045-A2	M 5	45	10.0	16	2.8	3.0
T0222.050-050-A2	M 5	50	10.0	16	2.8	3.0
T0222.050-055-A2	M 5	55	10.0	16	2.8	3.0
T0222.050-060-A2	M 5	60	10.0	16	2.8	3.0
T0222.050-065-A2	M 5	65	10.0	16	2.8	3.0
T0222.050-070-A2	M 5	70	10.0	16	2.8	3.0
T0222.050-075-A2	M 5	75	10.0	16	2.8	3.0
T0222.050-080-A2	M 5	80	10.0	16	2.8	3.0
T0222.050-085-A2	M 5	85	10.0	16	2.8	3.0
T0222.050-090-A2	M 5	90	10.0	16	2.8	3.0
T0222.050-095-A2	M 5	95	10.0	16	2.8	3.0
T0222.050-100-A2	M 5	100	10.0	16	2.8	3.0
T0222.060-008-A2	M 6	8	12.0	-	3.3	4.0
T0222.060-010-A2	M 6	10	12.0	-	3.3	4.0
T0222.060-012-A2	M 6	12	12.0	-	3.3	4.0
T0222.060-014-A2	M 6	14	12.0	-	3.3	4.0
T0222.060-016-A2	M 6	16	12.0	-	3.3	4.0
T0222.060-018-A2	M 6	18	12.0	-	3.3	4.0
T0222.060-020-A2	M 6	20	12.0	18	3.3	4.0
T0222.060-022-A2	M 6	22	12.0	18	3.3	4.0
T0222.060-025-A2	M 6	25	12.0	18	3.3	4.0
T0222.060-030-A2	M 6	30	12.0	18	3.3	4.0
T0222.060-035-A2	M 6	35	12.0	18	3.3	4.0
T0222.060-040-A2	M 6	40	12.0	18	3.3	4.0
T0222.060-045-A2	M 6	45	12.0	18	3.3	4.0
T0222.060-050-A2	M 6	50	12.0	18	3.3	4.0
T0222.060-055-A2	M 6	55	12.0	18	3.3	4.0
T0222.060-060-A2	M 6	60	12.0	18	3.3	4.0
T0222.060-065-A2	M 6	65	12.0	18	3.3	4.0
T0222.060-070-A2	M 6	70	12.0	18	3.3	4.0
T0222.060-075-A2	M 6	75	12.0	18	3.3	4.0
T0222.060-080-A2	M 6	80	12.0	18	3.3	4.0
T0222.060-085-A2	M 6	85	12.0	18	3.3	4.0
T0222.060-090-A2	M 6	90	12.0	18	3.3	4.0
T0222.060-095-A2	M 6	95	12.0	18	3.3	4.0
T0222.060-100-A2	M 6	100	12.0	18	3.3	4.0
T0222.080-010-A2	M 8	10	16.0	-	4.4	5.0
T0222.080-012-A2	M 8	12	16.0	-	4.4	5.0
T0222.080-014-A2	M 8	14	16.0	-	4.4	5.0
T0222.080-016-A2	M 8	16	16.0	-	4.4	5.0
T0222.080-018-A2	M 8	18	16.0	-	4.4	5.0
T0222.080-020-A2	M 8	20	16.0	-	4.4	5.0
T0222.080-022-A2	M 8	22	16.0	-	4.4	5.0
T0222.080-025-A2	M 8	25	16.0	22	4.4	5.0
T0222.080-030-A2	M 8	30	16.0	22	4.4	5.0
T0222.080-035-A2	M 8	35	16.0	22	4.4	5.0
T0222.080-040-A2	M 8	40	16.0	22	4.4	5.0
T0222.080-045-A2	M 8	45	16.0	22	4.4	5.0
T0222.080-050-A2	M 8	50	16.0	22	4.4	5.0
T0222.080-055-A2	M 8	55	16.0	22	4.4	5.0
T0222.080-060-A2	M 8	60	16.0	22	4.4	5.0
T0222.080-065-A2	M 8	65	16.0	22	4.4	5.0
T0222.080-070-A2	M 8	70	16.0	22	4.4	5.0
T0222.080-075-A2	M 8	75	16.0	22	4.4	5.0
T0222.080-080-A2	M 8	80	16.0	22	4.4	5.0
T0222.080-085-A2	M 8	85	16.0	22	4.4	5.0
T0222.080-090-A2	M 8	90	16.0	22	4.4	5.0
T0222.080-095-A2	M 8	95	16.0	22	4.4	5.0



Socket Countersunk Machine Screws

Socket - A2 stainless

Order No.	d ₁	l ₁	d ₂	l ₂	h ₁	A/F
T0222.080-100-A2	M 8	100	16.0	22	4.4	5.0
T0222.080-110-A2	M 8	110	16.0	22	4.4	5.0
T0222.080-120-A2	M 8	120	16.0	22	4.4	5.0
T0222.080-130-A2	M 8	130	16.0	22	4.4	5.0
T0222.080-140-A2	M 8	140	16.0	22	4.4	5.0
T0222.080-150-A2	M 8	150	16.0	22	4.4	5.0
T0222.080-160-A2	M 8	160	16.0	22	4.4	5.0
T0222.100-016-A2	M 10	16	20.0	-	5.5	6.0
T0222.100-018-A2	M 10	18	20.0	-	5.5	6.0
T0222.100-020-A2	M 10	20	20.0	-	5.5	6.0
T0222.100-022-A2	M 10	22	20.0	-	5.5	6.0
T0222.100-025-A2	M 10	25	20.0	-	5.5	6.0
T0222.100-030-A2	M 10	30	20.0	26	5.5	6.0
T0222.100-035-A2	M 10	35	20.0	26	5.5	6.0
T0222.100-040-A2	M 10	40	20.0	26	5.5	6.0
T0222.100-045-A2	M 10	45	20.0	26	5.5	6.0
T0222.100-050-A2	M 10	50	20.0	26	5.5	6.0
T0222.100-055-A2	M 10	55	20.0	26	5.5	6.0
T0222.100-060-A2	M 10	60	20.0	26	5.5	6.0
T0222.100-065-A2	M 10	65	20.0	26	5.5	6.0
T0222.100-070-A2	M 10	70	20.0	26	5.5	6.0
T0222.100-075-A2	M 10	75	20.0	26	5.5	6.0
T0222.100-080-A2	M 10	80	20.0	26	5.5	6.0
T0222.100-085-A2	M 10	85	20.0	26	5.5	6.0
T0222.100-090-A2	M 10	90	20.0	26	5.5	6.0
T0222.100-095-A2	M 10	95	20.0	26	5.5	6.0
T0222.100-100-A2	M 10	100	20.0	26	5.5	6.0
T0222.100-110-A2	M 10	110	20.0	26	5.5	6.0
T0222.100-120-A2	M 10	120	20.0	26	5.5	6.0
T0222.100-130-A2	M 10	130	20.0	26	5.5	6.0
T0222.100-140-A2	M 10	140	20.0	26	5.5	6.0
T0222.100-150-A2	M 10	150	20.0	26	5.5	6.0
T0222.100-160-A2	M 10	160	20.0	26	5.5	6.0
T0222.120-016-A2	M 12	16	24.0	-	6.5	8.0
T0222.120-018-A2	M 12	18	24.0	-	6.5	8.0
T0222.120-020-A2	M 12	20	24.0	-	6.5	8.0
T0222.120-022-A2	M 12	22	24.0	-	6.5	8.0
T0222.120-025-A2	M 12	25	24.0	-	6.5	8.0
T0222.120-030-A2	M 12	30	24.0	-	6.5	8.0
T0222.120-035-A2	M 12	35	24.0	30	6.5	8.0
T0222.120-040-A2	M 12	40	24.0	30	6.5	8.0
T0222.120-045-A2	M 12	45	24.0	30	6.5	8.0
T0222.120-050-A2	M 12	50	24.0	30	6.5	8.0
T0222.120-055-A2	M 12	55	24.0	30	6.5	8.0
T0222.120-060-A2	M 12	60	24.0	30	6.5	8.0
T0222.120-065-A2	M 12	65	24.0	30	6.5	8.0
T0222.120-070-A2	M 12	70	24.0	30	6.5	8.0
T0222.120-075-A2	M 12	75	24.0	30	6.5	8.0
T0222.120-080-A2	M 12	80	24.0	30	6.5	8.0
T0222.120-085-A2	M 12	85	24.0	30	6.5	8.0
T0222.120-090-A2	M 12	90	24.0	30	6.5	8.0
T0222.120-095-A2	M 12	95	24.0	30	6.5	8.0
T0222.120-100-A2	M 12	100	24.0	30	6.5	8.0
T0222.120-110-A2	M 12	110	24.0	30	6.5	8.0
T0222.120-120-A2	M 12	120	24.0	30	6.5	8.0
T0222.120-130-A2	M 12	130	24.0	30	6.5	8.0
T0222.120-140-A2	M 12	140	24.0	30	6.5	8.0
T0222.120-150-A2	M 12	150	24.0	30	6.5	8.0
T0222.120-160-A2	M 12	160	24.0	30	6.5	8.0
T0222.160-025-A2	M 16	25	30.0	-	7.5	10.0
T0222.160-030-A2	M 16	30	30.0	-	7.5	10.0
T0222.160-035-A2	M 16	35	30.0	-	7.5	10.0
T0222.160-040-A2	M 16	40	30.0	38	7.5	10.0
T0222.160-045-A2	M 16	45	30.0	38	7.5	10.0
T0222.160-050-A2	M 16	50	30.0	38	7.5	10.0
T0222.160-055-A2	M 16	55	30.0	38	7.5	10.0
T0222.160-060-A2	M 16	60	30.0	38	7.5	10.0
T0222.160-065-A2	M 16	65	30.0	38	7.5	10.0
T0222.160-070-A2	M 16	70	30.0	38	7.5	10.0

STAINLESS STEEL



Order No.	d ₁	l ₁	d ₂	l ₂	h ₁	A/F
T0222.160-075-A2	M 16	75	30.0	38	7.5	10.0
T0222.160-080-A2	M 16	80	30.0	38	7.5	10.0
T0222.160-085-A2	M 16	85	30.0	38	7.5	10.0
T0222.160-090-A2	M 16	90	30.0	38	7.5	10.0
T0222.160-095-A2	M 16	95	30.0	38	7.5	10.0
T0222.160-100-A2	M 16	100	30.0	38	7.5	10.0
T0222.160-110-A2	M 16	110	30.0	38	7.5	10.0
T0222.160-120-A2	M 16	120	30.0	38	7.5	10.0
T0222.160-130-A2	M 16	130	30.0	38	7.5	10.0
T0222.160-140-A2	M 16	140	30.0	38	7.5	10.0
T0222.160-150-A2	M 16	150	30.0	38	7.5	10.0
T0222.160-160-A2	M 16	160	30.0	38	7.5	10.0
T0222.200-035-A2	M 20	35	36.0	-	8.5	12.0
T0222.200-040-A2	M 20	40	36.0	-	8.5	12.0
T0222.200-045-A2	M 20	45	36.0	-	8.5	12.0
T0222.200-050-A2	M 20	50	36.0	46	8.5	12.0
T0222.200-055-A2	M 20	55	36.0	46	8.5	12.0
T0222.200-060-A2	M 20	60	36.0	46	8.5	12.0
T0222.200-065-A2	M 20	65	36.0	46	8.5	12.0
T0222.200-070-A2	M 20	70	36.0	46	8.5	12.0
T0222.200-075-A2	M 20	75	36.0	46	8.5	12.0
T0222.200-080-A2	M 20	80	36.0	46	8.5	12.0
T0222.200-085-A2	M 20	85	36.0	46	8.5	12.0
T0222.200-090-A2	M 20	90	36.0	46	8.5	12.0
T0222.200-095-A2	M 20	95	36.0	46	8.5	12.0
T0222.200-100-A2	M 20	100	36.0	46	8.5	12.0
T0222.200-110-A2	M 20	110	36.0	46	8.5	12.0
T0222.200-120-A2	M 20	120	36.0	46	8.5	12.0
T0222.200-130-A2	M 20	130	36.0	46	8.5	12.0
T0222.200-140-A2	M 20	140	36.0	46	8.5	12.0
T0222.200-150-A2	M 20	150	36.0	46	8.5	12.0
T0222.200-160-A2	M 20	160	36.0	46	8.5	12.0
T0222.240-050-A2	M 24	50	39.0	54	14.0	14.0
T0222.240-055-A2	M 24	55	39.0	54	14.0	14.0
T0222.240-060-A2	M 24	60	39.0	54	14.0	14.0
T0222.240-065-A2	M 24	65	39.0	54	14.0	14.0
T0222.240-070-A2	M 24	70	39.0	54	14.0	14.0
T0222.240-075-A2	M 24	75	39.0	54	14.0	14.0
T0222.240-080-A2	M 24	80	39.0	54	14.0	14.0
T0222.240-085-A2	M 24	85	39.0	54	14.0	14.0
T0222.240-090-A2	M 24	90	39.0	54	14.0	14.0
T0222.240-095-A2	M 24	95	39.0	54	14.0	14.0
T0222.240-100-A2	M 24	100	39.0	54	14.0	14.0
T0222.240-110-A2	M 24	110	39.0	54	14.0	14.0
T0222.240-120-A2	M 24	120	39.0	54	14.0	14.0
T0222.240-130-A2	M 24	130	39.0	54	14.0	14.0
T0222.240-140-A2	M 24	140	39.0	54	14.0	14.0
T0222.240-150-A2	M 24	150	39.0	54	14.0	14.0
T0222.240-160-A2	M 24	160	39.0	54	14.0	14.0